

EN

BLUBar



blupura

ALWAYS COOLER

# BLUBar

30  
lt/h

60  
lt/h

80  
lt/h

150  
lt/h



Gas  
R290



Dry  
Cooling



Ice  
Bank



Energy  
Saving



Portion  
Control



Stainless  
Steel

COMPACT, SIMPLE AND HIGH PERFORMING,  
BLUBAR IS THE WATER DISPENSER FOR GREAT PERFORMANCE.  
PERFECT FOR PROFESSIONAL USE.

As a result of two different cooling technologies, Blubar is the professional  
and high performing choice in all “capacities”.

Blubar gives the best user experience for hoteliers and restaurant owners who require a solid, elegant and  
convenient dispenser. Blupura professional equipment is synonymous with simplicity, functionality and reliability  
together with energy saving for hospitality industry professionals.





### “Beer Tap”

Blubar is available with the option of manual mechanical taps which enable the filling of two bottles at the same time.



### Inox Touch

Blubar adapts to every dispensing “style”. Featuring “Inox Touch” high-quality steel buttons, highly professional and customizable with a “portion control” option.



### Cabinet

A design cabinet is available, created with style and function in mind. The model is made of stainless steel, with adjustable feet and a filter fastening bracket inside. Optionally, it is possible to install the tank alarm and the 5-litre tank with a filling alarm.



### Portion Control


High-quality stainless steel dispensing buttons provide a more accurate water supply, as well as the volumetric portioning, which enables the customization of the amounts delivered, for a convenient, rapid service.



Natural Gas R290  
An environmentally-friendly  
choice, with the benefit  
of a more silent compressor.

Completely constructed  
in stainless steel and features  
a backlit plexiglass front panel.

Thanks to its stylish and professional design,  
BLUBAR gives a boost to any environment.



BLUBAR "Beer" Tap model is the perfect solution for public areas where the traditional tapping system is still preferred.

The drip tray has an option to "drain to waste" if required.



Fizz



Ambient



Cold



Portion Control

Dispensing  
area

Weight



Dimensions

	Lt./h				He [mm]	[kg]	W x D x H [mm]
BLUBAR "Beer tap" 30	30		•	•	320	24	318 x 537 x 567
BLUBAR "Beer tap" 30 Fizz	30	•		•	320	26	318 x 537 x 567
BLUBAR "Beer tap" 60	60		•	•	320	26	318 x 537 x 491
BLUBAR "Beer tap" 60 Fizz	60	•		•	320	27	318 x 537 x 491
BLUBAR "Beer tap" 80	80		•	•	320	33	360 x 565 x 566
BLUBAR "Beer tap" 80 Fizz	80	•		•	320	35	360 x 565 x 566
BLUBAR "Beer tap" 150	150		•	•	329	43	460 x 606 x 617
BLUBAR "Beer tap" 150 Fizz	150	•		•	329	44	460 x 606 x 617
BLUBAR I.T. 60	60		•	•	Optional	25	318 x 537 x 491
BLUBAR I.T. 60 Fizz	60	•		•	Optional	27	318 x 537 x 491
BLUBAR I.T. 60 Fizz 3W	60	•	•	•	Optional	27	318 x 537 x 491
BLUBAR I.T. 80	80		•	•	Optional	30	360 x 565 x 566
BLUBAR I.T. 80 Fizz	80	•		•	Optional	35	360 x 565 x 566
BLUBAR I.T. 80 Fizz 3W	80	•	•	•	Optional	35	360 x 565 x 566
BLUBAR I.T. 150	150		•	•	Optional	41	460 x 606 x 617
BLUBAR I.T. 150 Fizz	150	•		•	Optional	44	460 x 606 x 617

## OPTIONAL EXTRAS

In-line filters		Filter + Head
		UVC Led In
Outlet filters		UVC Led Out (only for I.T. models)
	or 	Nano Silver Pipe (only for I.T. models)
Other		Bluprotection
		Water Block (to ensure correct installation, the water block is essential on the "beer tap" version)
		BLUBAR Tray with outlet (standard for the 30/60 Lt/h. versions)

## ACCESSORIES

	BLUBAR Cabinet 80
	5 Lt. tank with re-fill alarm
	Water pressure reducer
	CO <sub>2</sub> pressure reducer with 2 pressure gauge (only for Fizz models)
	Incremental digital litre-counter 6000R
	or
	Decremental digital litre-counter 8000T
	or
	Mechanical litre-counter

Given its commitment to continuous technological development, Blupura reserves the right to enhance or modify the products shown in this catalogue without prior notice.

# TECHNICAL PROFILE



BLUBAR "Beer tap" 30 Fizz

BLUBAR "Beer tap" 60 Fizz  
BLUBAR I.T. 60 Fizz

BLUBAR "Beer tap" 80 Fizz  
BLUBAR I.T. 80 Fizz

BLUBAR "Beer tap" 150 Fizz  
BLUBAR I.T. 150 Fizz

Cooling capacity [Lt/h.]	30	60	80	150
Power supply	230 V - 50 Hz	230 V - 50 Hz	230 V - 50 Hz	230 V - 50 Hz
Pump	Membrane carbonation pump	Membrane carbonation pump	Rotary carbonation pump	Rotary carbonation pump
Cooling technology	Dry Cooling	Ice Bank Single Stainless Steel coil	Ice Bank Single Stainless Steel coil	Ice Bank Double Stainless Steel coil
Ice bank capacity [Lt]	-	7	14	18
Ice bank [Kg]	-	3	5	8
Condensation	Ventilated Condensation	Ventilated Condensation	Ventilated Condensation	Ventilated Condensation
Power consumption [W]	230	276	530	875
Max absorption [A]	1	1,57	2.3	3,8
Materials	Stainless steel and plexiglas	Stainless steel and plexiglas	Stainless steel and plexiglas	Stainless steel and plexiglas





Blupura S.r.l. - Via Volponi, 11 - 62019 Recanati (Mc) - Italy  
Tel. +39 071 971 0080 - [info@blupura.com](mailto:info@blupura.com)  
Blupura Usa - 1200 Brickell Ave, Suite 1950 - Miami (FL) 33131 - USA - Tel. +1 305 777 3591 - [blupurausa@blupura.com](mailto:blupurausa@blupura.com)  
[www.blupura.com](http://www.blupura.com)

